

Envirocheck[®]


10k Raster Mapping

Published 2000


Source map scale - 1:10,000

The historical maps shown were produced from the Ordnance Survey's 1:10,000 colour raster mapping. These maps are derived from Landplan which replaced the old 1:10,000 maps originally published in 1970. The data is highly detailed showing buildings, fences and field boundaries as well as all roads, tracks and paths. Road names are also included together with the relevant road number and classification. Boundary information depiction includes county, unitary authority, district, civil parish and constituency.

Map Name(s) and Date(s)



Historical Map - Slice A



Order Details

 Order Number:
 268507722_1_1

 Customer Ref:
 799.01

 National Grid Reference:
 353420, 192830

 Slice:
 A

 Site Area (Ha):
 0.59

 Search Buffer (m):
 1000


Site Details

Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ





0844 844 9952 0844 844 9951 www.envirocheck.co.uk



Envirocheck[®] LANDMARK INFORMATION GROUP*

Street View


Published 2020

Source map scale - 1:10,000

Street View is a street-level map for the whole of Great Britain produced by the Ordnance Survey. These maps are provided at a nominal scale of 1:10,000

Map Name(s) and Date(s)

Street View Map - Slice A



Order Details

Order Number: Customer Ref: National Grid Reference: 353420, 192830 Slice: Site Area (Ha): Search Buffer (m):

268507722_1_1 799.01 Α 0.59 1000

Site Details

Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ






0844 844 9952 0844 844 9951 www.envirocheck.co.uk







APPENDIX B


Envirocheck Report – Mapping









Page 3 of 6







Geology 1:50,000 Maps Legends

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	TFD	Tidal Flat Deposits	Clay and Silt	Not Supplied - Holocene
	TFD	Tidal Flat Deposits	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	RTD4	River Terrace Deposits, 4	Sand and Gravel	Not Supplied - Quaternary
	RTD2	River Terrace Deposits, 2	Sand and Gravel	Not Supplied - Quaternary
	RTD3	River Terrace Deposits, 3	Sand and Gravel	Not Supplied - Quaternary
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary
	HEAD	Head	Clay, Silt, Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	PNG	Penarth Group	Mudstone	Not Supplied - Rhaetian
	BLI	Blue Lias Formation	Mudstone	Not Supplied - Rhaetian
	BAN	Blue Anchor Formation	Mudstone	Not Supplied - Norian
	MMG	Mercia Mudstone Group	Mudstone	Not Supplied - Early Triassic
	MMMF	Mercia Mudstone Group (Marginal Facies)	Conglomerate	Not Supplied - Triassic
	LLY	Llanelly Formation	Limestone/Cement stone/Calcilutite, Argillaceous, Muddy	Not Supplied - Visean
	HBO	Hunts Bay Oolite Subgroup	Limestone, Ooidal	Not Supplied - Visean
	CHSA	Cromhall Sandstone Formation	Sandstone	Not Supplied - Visean
	GUO	Gully Oolite Formation	Limestone, Ooidal	Not Supplied - Visean
	BRL	Black Rock Limestone Subgroup	Dolostone	Not Supplied - Tournaisian
	AVO	Avon Group	Mudstone and Limestone, Interbedded	Not Supplied - Tournaisian

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	AVO	Avon Group	Limestone	Not Supplied - Tournaisian
		Faults		

Envirocheck


LANDMARK INFORMATION GROUP[®]

Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.

The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage Map ID: Map Sheet No: 250 Chepstow 1981 Map Name: Map Date: Bedrock Geology: Available Available Superficial Geology Artificial Geology: Not Available Faults: Not Supplied Landslip: Available Rock Segments Not Supplied Geology 1:50,000 Maps - Slice A **Order Details:** Order Number: 268507722_1_1 Customer Reference: 799.01 National Grid Reference: 353420, 192830 Slice: A 0.59 Site Area (Ha): Search Buffer (m): 1000 Site Details: Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ Tel: Fax: 0844 844 9952 0844 844 9951 Landmark Web: www.envirocheck.co.uk INFORMATION GROUP v15.0 23-Nov-2020 Page 1 of 5



LANDMARK INFORMATION GROUP[®]

Artificial Ground and Landslip

Artificial ground is a term used by BGS for those areas where the ground returned ground is a term used up boso in used ateas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.


Artificial ground includes:

- Made ground man-made deposits such as embankments and spoil heaps on the natural ground surface. - Worked ground - areas where the ground has been cut away such as
- quarries and road cuttings.
- Infilled ground areas where the ground has been cut away then wholly or partially backfilled.

 Landscaped ground - areas where the surface has been reshaped.
 Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A




Order Details: Order Number: Customer Reference: 268507722_1_1 799.01 National Grid Reference: 353420, 192830 Slice: A 0.59 Site Area (Ha): Search Buffer (m): 1000 Site Details: Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ Tel: Fax: 0844 844 9952 Landmark

v15.0 23-Nov-2020

Page 2 of 5

0844 844 9951 www.envirocheck.co.uk



LANDMARK INFORMATION GROUP®


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.


Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.





Order Details: Order Number: Customer Reference: 268507722_1_1 799.01 353420, 192830 National Grid Reference: Slice: A 0.59 Site Area (Ha): Search Buffer (m): 1000 Site Details: Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ

0844 844 9952 0844 844 9951 Tel: Fax: Landmark Web www.envirocheck.co.uk v15.0 23-Nov-2020



LANDMARK INFORMATION GROUP[®]

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.





 Order Details:

 Order Number:
 268507722_1_1

 Customer Reference:
 799.01

 National Grid Reference:
 353420, 192830

 Slice:
 A

 Site Area (Ha):
 0.59


 Search Buffer (m):
 1000

 Site Details:
 Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ

 Landmark
 Tel: Fax
 0844 844 9952

 • INFORMATION GROUP
 Web:
 www.enwirocheck.co.uk

 v15.0
 23-Nov-2020
 Page 4 c



LANDMARK INFORMATION GROUP®

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.

Additional Information


More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey Kingsley Dunham Centre Keyworth Nottingham NG12 5GG Telephone: 0115 936 3143 Fax: 0115 936 3276 email: enquiries@bgs.ac.uk website: www.bqs.ac.uk

v15.0 23-Nov-2020

Combined Geology Map - Slice A



Order Number: Customer Reference: 268507722_1_1 799.01 National Grid Reference: 353420, 192830 Slice: A 0.59 Site Area (Ha): Search Buffer (m): 1000 Site Details: Severn Bridge Club, Bulwark Road, Bulwark, CHEPSTOW, NP16 5QZ Tel: Fax: 0844 844 9952 0844 844 9951 Landmark

Web

www.envirocheck.co.uk

Page 5 of 5