Net Zero Twenty Five Limited

# Outline Energy Storage Safety Management Plan

Maes Bach - Energy Storage System

November 2024

#### **FIRSTWAY ENERGY**

## Contents

Introduction1
The Proposed Development1
Structure of the Report1
Energy Storage Types and Arrangements2
Energy Storage Types2
Energy Storage Unit Arrangements2
Legislation, Standards and Guidance2
Legislation2
Building Regulations2
Safety Standards3
Guidance5
National Fire Chiefs Council Guidance7
Embedded Design Principles8
Additional Safety Measures10
Consultation with South Wales Fire and Rescue Service10
Detailed Energy Storage System Safety Management Plan10
Emergency Response Plan11

## Introduction

- 1. This Outline Energy Storage Safety Management Plan (OESMP) has been prepared by Firstway Energy (on behalf of Net Zero Twenty Five Limited) to support the planning application for the *construction and operation of a proposed Energy Storage System (ESS) and associated infrastructure* (hereafter referred to as the Proposed Development) on land at Maes Mach, Maesmawr Road, Pontypridd, CF38 1SL (the Site).
- 2. The purpose of this OESMP is to identify the relevant legislation and guidance, ensure it is understood and to demonstrate that the location and design of the Proposed Development is acceptable.
- 3. It is anticipated that any planning permission for the Proposed Development would include a suitably worded planning condition relating to the submission of a Detailed Energy Storage Safety Management Plan prior to the commencement of operation, which will be prepared to reflect the specific energy storage technology and infrastructure to be installed at the Site.
- 4. The Detailed Energy Storage Safety Management Plan will be agreed with South Wales Fire and Rescue Service, as part of the planning condition process.

#### The Proposed Development

- 5. The Proposed Development comprises the following:
  - Up to 66no. containerised energy storage units, arranged in rows;
  - 9no. Twin Skid TX units which would be situated next to PCSK Inverter Unts (total of 17no. Inverter units);
  - 17no. Interface cabinets;
  - 1no. Customer Switchgear Container unit;
  - 1no. Storage container;
  - 1.no welfare unit;
  - 1no. water tank;
  - Fire hydrants;
  - Substation Compound with associated equipment and District Network Operator Control Room structure;
  - Access track to extend from new access point;
  - Secondary emergency access track;
  - Compound area to be demarcated by perimeter fence line;
  - Pole mounted CCTV cameras; and
  - Landscape planting and drainage infrastructure.

#### Structure of the Report

- 6. This OESMP includes the following sections:
  - Introduction;
  - Battery Types and Arrangements;
  - Legislation, Standards and Guidance;
  - National Fire Chiefs Council Guidance;
  - Consultation with South Wales Fire and Rescue Service;
  - Detailed Energy Storage System Safety Management Plan: and
  - Emergency Response Plan.

# Energy Storage Types and Arrangements

#### Energy Storage Types

- 7. There are a number of different energy storage types than can be used within an Energy Storage System (ESS). A selection of energy storage types is provided below (list is not exhaustive):
  - Lithium-ion;
  - Flow batteries (such as vanadium batteries);
  - Sodium-ion; and
  - Solid-state.

The energy storage type that will be deployed as part of the Proposed Development will be lithiumion. Lithium-ion is used in a number of day-to-day products including mobile phones and electric cars, and lithium-ion ESS are currently the dominant energy storage system within the UK.

#### Energy Storage Unit Arrangements

8. Each ESS unit comprises three core elements:

- Lithium-ion cell: which stores the energy.
- Lithium module: a module which houses a number of lithium-ion cells connected to one another. Each module has its own isolator which enables it to be switched off to protect the surrounding modules if a fault is identified. The modules are constructed of fire retardant materials.
- Lithium cell rack: a lithium cell rack consists of a number of battery modules (e.g. 10) which are stacked in a rack system. The rack systems are constructed and enclosed in fire retardant materials.

## Legislation, Standards and Guidance

9. The following Standards and Guidance will apply to the Proposed Development and will be adhered to during the detailed design, construction, operation and decommissioning of the Site.

#### Legislation

- 10. The following legislation is considered applicable to the Proposed Development (this list is not considered to be exhaustive):
  - Regulatory Reform (Fire Safety) Order 2005;
  - Health and Safety at Work etc. Act 1974;
  - Management of Health and Safety at Work Regulations 1999 Regulation 3;
  - Electricity Safety, Quality and Continuity Regulations 2002;
  - The Workplace (Health, Safety and Welfare) Regulations 1992;
  - Regulatory Reform (Fire Safety) Order 2005 for the fire safety management in buildings compliance;
  - Construction, Design Management Regulations 2015 (CDM).

#### **Building Regulations**

11. The following Buildings Regulations will apply to the Proposed Development:

• Building Regulations BS 9999 'Fire safety in the design, management and use of building, Code of Practice.

# Safety Standards

12. The following safety standards will apply to the Proposed Development:

Category	British Standard	Description
Fire Detection and Alarm	BS EN 54 Fire detection and fire alarm system.	This standard includes a number of parts (31) with regard to fire detection and the implementation of fire alarm systems.
	BS 5839-1 Fire Detection and Fire Alarm Systems for Buildings – Part 1: Code of Practice for Design, Installation, Commissioning and Maintenance of Systems in Non-Domestic Premises.	This is a fire safety standard on best practices for fire alarm systems for buildings. It provides recommendations for the planning, design, installation, commissioning and maintenance of fire detection and fire alarm systems in and around non-domestic premises.
	BS 6266 Fire protection for electronic equipment installations. Code of practice.	This standard sets out guidance on how to detect and extinguish fires in the vicinity of electronic equipment installations, taking account of the potential for extensive damage and serious business interruption.
	BS EN 60079-29-3 Part 29-3. Gas detectors. Guidance on functional safety of fixed gas detection systems.	This standard sets out guidance for the design and implementation of a fixed gas detection system, including associated and/or peripheral gas detection equipment, for the detection of flammable gases/vapours and oxygen when used in a safety-related application in accordance with IEC 61508 and IEC 61511.
Automatic Protection	BS 5306-0 Fire protection installations and equipment on premises. Guide for selection, use and application of fixed firefighting systems and other types of fire equipment.	This standard gives guidance on the selection, use and application of automatic water sprinkler, water spray, water mist, gaseous, foam, condensed aerosol, wet chemical and powder fire- fighting systems and hypoxic air fire- prevention systems. It gives guidance on installed equipment for fire and rescue service use, and on the application of portable fire extinguishers. The standard also contains requirements and test procedures with pass/fail criteria, so that component performance can be objectively assessed by a recognised test facility and result in certification.
	BS EN 12845 Fixed firefighting systems. Automatic sprinkler systems. Design, installation and maintenance.	This standard sets out requirements and gives recommendations for the design, installation, and maintenance of fixed fire sprinkler systems in buildings and industrial plants, and particular requirements for sprinkler systems that

: i		are integral to measures for the protection
: i	BS EN 14972-1 :2020 Fixed firefighting	of life. This standard specifies the requirements
	systems. Water mist systems. Design,	and gives recommendations for the
· · · · · ·	installation, inspection and	design, installation, inspection and
	maintenance.	maintenance of all types of fixed land-
		based water mist systems.
•	BS EN IEC 62281 (2019) Safety of	This sets out the test methods and
	primary and secondary lithium cells and	requirements for primary and secondary
	batteries during transport.	(rechargeable) lithium cells and batteries
		to ensure their safety during transport other than for recycling or disposal.
ergy	BS EN IEC 62933-1 Electrical energy	Sets out the terminology applicable to
	storage part 1: Vocabulary.	grid-connected systems that are able to
tems	storage part 1. vocabulary.	extract electrical energy from an electric
		power system, store it internally and inject
		electrical power to an electric power
		system.
1	BS EN IEC 62933-2-1:2018 Electrical	This sets out unit parameters and testing
	energy storage (EES) systems - Unit	methods of electrical energy storage
	parameters and testing methods.	systems.
	General specification.	
	BS EN IEC 62933-5-2 Electrical energy	This sets out safety aspects for people
	storage (EES) systems - Part 5-2: Safety	and, where appropriate, safety matters related to the surroundings for grid-
	requirements for grid-integrated EES systems - Electrochemical-based	connected energy storage systems where
	systems.	an electrochemical storage subsystem is
		used.
duct	BS EN 62619 :2022 Secondary cells and	This standard specifies requirements and
ety l	batteries containing alkaline or other	tests for the safe operation of secondary
	non-acid electrolytes. Safety	lithium cells and batteries used in
	requirements for secondary lithium	industrial applications, including
	cells and batteries, for use in industrial	stationary applications.
	applications.	This standard dofines the minimum
	-	
	power systems deneral requirements.	-
		hazards.
	BS EN 62477-1 Safety requirements for	This document: establishes a common
	power electronic converter systems and	terminology for safety aspects relating to
	equipment - Part 1: General.	power electronic converter systems
1		
1		requirements for the coordination of
1		
1		safety aspects of interrelated parts within
1		safety aspects of interrelated parts within a PECS, establishes a common basis for
1		safety aspects of interrelated parts within a PECS, establishes a common basis for minimum safety requirements for the
1		safety aspects of interrelated parts within a PECS, establishes a common basis for
oduct l ety o	BS EN 62109-1 Safety of power converters for use in photovoltaic power systems General requirements. BS EN 62477-1 Safety requirements for power electronic converter systems and	This document: establishes a common terminology for safety aspects relating

		energy and mechanical hazards, during use and operation and, where specifically stated, during service and maintenance and specifies minimum requirements to reduce risks with respect to PECS designed as pluggable and permanently connected equipment, whether it consists of a system of interconnected units or independent units, subject to installing,
		operating and maintaining the PECS in the manner prescribed by the manufacturer.
	BS EN IEC 62368-1 Audio/video, information and communication technology equipment - Safety requirements.	This standard classifies energy sources, prescribes safeguards against those energy sources, and provides guidance on the application of, and requirements for, those safeguards.
Product Safety EMC	BS EN IEC 61000-6-1 Electromagnetic compatibility (EMC). Generic standards. Immunity for residential, commercial and light-industrial environments.	This standard sets out generic standards where apparatus are intended to be directly connected to a low-voltage public mains network or connected to a dedicated DC source which is intended to interface between the apparatus and the low-voltage public mains network. This standard applies also to apparatus which is battery operated or is powered by a non-public, but non-industrial, low voltage power distribution system if this apparatus is intended to be used in the locations described below.
	BS EN 61000-6-3 Electromagnetic compatibility (EMC) - Generic standards. Emission standard for equipment in residential environments.	This standard sets out details of emission requirements for electrical and electronic equipment intended for use at residential locations in order to ensure that radio reception is adequately protected.
Electrical Installation	BS 7671 Requirements for electrical installations. Institute of Engineering and Technology (IET) wiring regulations.	This standard sets out important national standards and provides authoritative requirements to help ensure electrical installations are safe and comply with UK law. BS 7671:2018+A2:2022 introduces a new requirement for Arc Fault Detection Devices (AFDDs), updated requirements for the fire safety design for buildings and a new chapter on prosumer low voltage electrical installations.

#### Guidance

13. The following Guidance is applicable to the Proposed Development. Note some of the guidance below is from the United States of America and although not explicitly applicable to UK development it nonetheless provides valuable guidance in relation to Energy Storage Systems.

Category	Document	Description
Firefighting	National Guidance Document on	The purpose of the document is to facilitate
	the Provision of Water for	and promote liaison between Local Authority
	Firefighting (Water UK & Local	Fire and Rescue Services and Water
	Government Association, 2007)	Companies in England and Wales.
Product	Recommendations for the storage,	This document provides practical guidance to
Safety	handling and use of batteries	insurers and their clients on fire hazards and
-	(RC61) (Fire Protection Association,	appropriate control measures associated with
	2014)	the selection, storage, charging and use of
		batteries in commercial and industrial
		premises.
Energy	Health and Safety Guidance for	The guidance has been prepared to identify
Storage	Grid Scale Electrical Energy Storage	existing legislation, regulations, standards and
Systems	Systems (Department for Energy	other industry guidance to aid ESS developers
	Security and Net Zero, 2024)	navigate the health and safety landscape and
		to ensure all the relevant elements of health
		and safety are integrated into each ESS.
	Grid Scale Battery Energy Storage	The guidance has been prepared to support
	System Planning – Guidance for FRS	developers with regard to ensuring the energy
	(National Fire Chief Council, 2022)	storage systems are designed appropriately to
	and Draft Grid Scale Energy Storage	minimise risks to the public and the Fire and
	System Planning Guidance	Rescue Service, in the unlikely event of a fire.
	(National Fire Chiefs Council	
	Guidance, 2024)	
	Battery storage guidance note 1:	This document provides guidance covering
	Battery storage planning (Energy	various aspects of planning an energy storage
	Institute, 2019)	facility. It provides an overview of battery
		types, planning regulations in the UK, and
		information on safety issues that should be
		considered during planning and risk
		assessments.
	Battery storage guidance note 2:	This document provides guidance on how to
	Battery energy storage system fire	respond to ESS fires and provides an overview
	planning and response (Energy	of the fire risk of common battery
	Institute, 2020)	chemistries, including lithium-ion.
	Code of Practice for Electrical	This Code of Practice looks at electrical energy
	Energy Storage Systems (Institute	storage systems and provides information for
	of Engineering and Technology,	practitioners to specify safely and effectively,
	2017)	design, install, commission, operate and
	Good Practice Guide on Electrical	maintain a system.
		The guide aims to disseminate the lessons learnt from electrical energy storage
	Energy Storage (UK Energy Storage Operators' Forum, 2014)	deployments in the UK, including the
		Customer-Led Network Revolution (CLNR)
		project and be a reference guide for those
		implementing electrical energy storage in the
		UK.
	McMicken Battery Energy Storage	The report sets out technical advice and
	System Event Technical Analysis	analysis regarding the investigation into a
	and Recommendations (DNV GL,	thermal event and explosion that occurred at
	2020)	an American energy storage facility.
	/	and an energy storage identity.

	Considerations for ESS Fire Safety (DNV GL, 2017)	The report summarises the main findings and recommendations from extensive fire and extinguisher testing that evaluated a broad range of battery chemistries.
	Recommended Practice: Safety, Operation and Performance of Grid-connected Energy Storage Systems (DNV GL, 2017)	This document provides recommendations for grid-connected energy storage systems.
	NFPA 855 Standard for the Installation of Stationary Energy Storage Systems (NFPA, 2023)	This document provides guidance with regards to mitigating risks and ensuring all installations perform as designed, taking into account safety considerations. The document offers comprehensive criteria for the fire protection of energy storage system installations based on the technology used, the setting where the technology is being installed, the size and separation of energy storage system installations, and the fire suppression and control systems in place.
	Battery Energy Storage Systems (BESS) Using Li-Ion Batteries (Allianz Risk Consulting, 2019)	This document sets out recommendations to reduce the potential risks in the unlikely event of a fire.
	UL 9540 Standard for Energy Storage Systems and Equipment	This is a safety standard document for energy storage systems.
	UL 1642 Standard for Lithium Batteries	This is a certification for rechargeable lithium- ion batteries for use as a power supply.
	UL 9540A Standard for Test Method for Evaluating Thermal Runaway Fire Propagation in Battery Energy Storage Systems	This standard sets out how energy storage systems should be tested with regard to thermal runaway.
	UL 1973 Batteries for Use in Light Electric Rail (LER) Applications and Stationary Applications	This standard sets our requirements for batteries for use as energy storage for stationary applications such as solar, or wind turbine storage.
Transport	Transport of Dangerous Goods (United Nations, 2015)	This document sets out recommendations with regard to the transportation of lithium metal and lithium-ion batteries.
	European Agreement concerning the International Carriage of Dangerous Goods by Road (United Nations Economic Commission for Europe, 2019)	This includes mandatory rules for the transportation of dangerous goods, including lithium cells. The UK is a signatory to this agreement.
	Moving Dangerous Goods (Department for Transport, 2012)	The guidance sets out a plethora of information on how dangerous good should be transport securely.

# National Fire Chiefs Council Guidance

14. The National Fire Chiefs Council issued 'Grid Scale Battery Energy Storage System Planning – Guidance for Fire and Rescue Services in November 2022 and Planning Practice Guidance (PPG)

advises that applicants are encouraged to consider the guidance set out within the document when preparing a planning application (PPG Paragraph: 034 Reference ID: 5-034-20230814).

- 15. The National Fire Chiefs Council recently undertook a public consultation exercise on their draft 'Grid Scale Energy Storage System Planning Guidance'. The consultation closed on 22<sup>nd</sup> August 2024. As this draft guidance shows the direction of travel the National Fire Chiefs Council is moving in, the Proposed Development layout has been designed in accordance with the draft guidance.
- 16. The Proposed Development has taken into account the design related guidance set out in the aforementioned documents and a Proposed Site Layout Plan (drawing ref: FST025-PL-01) has been submitted with this application which sets out key embedded design principles.
- 17. **Figure 1** overleaf presents the Proposed Layout Plan. The Plan has been submitted separately as part of the wider planning application.

#### Embedded Design Principles

18. Key embedded design principles include the following:

- 9x ESS unit clusters are proposed with 3m setbacks from the nearest adjacent cluster to prevent the spread of fire across the Site.
- Access tracks are proposed on two sides of each energy storage unit cluster at a minimum to enable fire service vehicles to manoeuvre around the clusters, in the unlikely event of a fire.
- All ESS units are located a minimum of 10m away from existing and proposed vegetation.
- One water tank is proposed for South Wales and Rescue Service to access in the unlikely event of fire. Fire hydrants are also proposed across the site in accordance with approved document Part B Fire Safety.
- A secondary access/exit point for emergency vehicles is proposed to provide multiple routes to enter/exit the site.
- All internal access routes have been tracked for use by fire service vehicles.




Figure 1 Layout Plan

Maes Bach OESMP

#### Additional Safety Measures

- 19. In addition to the design principles embedded within the layout of the Proposed Development, the following measures will be included within the chosen infrastructure:
  - The use of fire-resistant enclosures, materials and panels;
  - The use of deflagration panels/vents on each unit to enable venting and prevent explosion;
  - The installation of fire and smoke detection systems within each ESS unit;
  - The installation of automatic dry agent/aerosol fire suppression systems within each ESS unit; and
  - The use of ventilation systems within each ESS unit.
- 20. These systems will have the facility to be operated remotely or onsite through the ESS Management System. The primary function of the Management System is to monitor key information related to the ESS units to ensure that they remain within normal operating thresholds. This includes monitoring information such as voltage and temperature. Where data appears to be outside of the normal operating thresholds this will be flagged for monitoring by the remote operator through audible and visual alarms. As required, systems such as ventilation can be adjusted remotely to bring key information back into normal operating thresholds. Ultimately, if necessary, an individual energy storage module, rack, unit or the entire site can be shut down remotely to ensure the safety of the site and surrounding area.

## Consultation with South Wales Fire and Rescue Service

21. A pre-application consultation request was submitted to South Wales Fire and Rescue Service on 18<sup>th</sup> October 2024 to discuss the Proposed Development. An email response was received on 25<sup>th</sup> October 2024 which reads as follows:

"Thank you for notification of the above pre-planning application.

Please accept this email as acknowledgment of receipt of the formal notification and informing this Service of the proposed safety principles to be embedded within the proposed development.

South Wales Fire and Rescue Service have no comments to make at this stage.

Further comment/s will be made at the full planning application stage".

## Detailed Energy Storage System Safety Management Plan

- 22. This Outline Energy Storage Safety Management Plan sets out the initial design and principles that will be embedded within the Proposed Development with the information known at the planning application stage. It is envisaged that a Detailed Energy Storage Safety Management Plan will be secured by planning condition which will be submitted to Rhondda Cynon Taf Borough Council and South Wales Fire and Rescue Service for approval, prior to the operation of the development.
- 23. The Detailed Energy Storage Safety Management Plan will comprise the following:
  - Detailed layout drawing of the final Energy Storage System and confirmation of how the design complies with the National Fire Chief Council's guidance.
  - Confirmation of:

- Energy storage specification;
- Fire detection system specification;
- Fire suppression system specification; and
- Ventilation system specification.
- Full details of the operating procedures for the Energy Storage System.
- Full details of the emergency operating procedures for the Energy Storage System.
- Confirmation of compliance with the relevant legislation and guidance.
- An environmental risk assessment in the unlikely event of a fire, e.g. to include impacts on, but not limited to, ecology, water quality, air quality etc.
- Inclusion of any other information requested by South Wales Fire and Rescue Service.

### **Emergency Response Plan**

24. An Emergency Response Plan will be prepared prior to the operation of the development to demonstrate a full understanding of the risks associated with the development and how emergencies will be dealt with at the site. This includes setting out protocols for dealing with emergencies, including how and when South Wales Fire and Rescue Service will be made aware of an emergency. Key contact details relating to the proposed development and South Wales Fire and Rescue Service will be confirmed to ensure all the relevant parties know the roles of personnel and who to contact in the event of an emergency.